

19" RACKMOUNT SOLUTIONS



- **Accessibility**
- **Central Management**
- **Data Integrity**
- **Flexibility**
- **Innovative Solutions**
- **Modularity**
- **Reliability**



Industrial Rackmount Solutions

19" Rack-Mount

IPC-4032



IPC-4060



Specifications		IPC-4032		IPC-4060
Structure		Aluminum or Steel	Colour	Black and Beige
Drive Bays	5.25-inch	3 (Open)		6 (Open)
	3.5-inch	1 (Open), 7 (Closed)		
Configuration of M/B		Full Size ATX	Expansion Slot	7
Cooling Fan	8 cm	2		2
	12 cm	1 (with removal Air-Filter)		
LED Indicator	Power On, HDD Access	Optional Power Supply	ATX 300W, 400W, Mini Redundant	
Switch	Power On/Off, Reset	Dimensions (W x H x D)	422mm x 178mm x 531mm	

IPC-4071



IPC-4080



Specifications		IPC-4071		IPC-4080
Structure		Aluminum or Steel	Colour	Black and Beige
Drive Bays	5.25-inch	7 (Open)		8 (Open)
	3.5-inch	1 (Open)		
Configuration of M/B		Full Size ATX Backplane	Expansion Slots	7
Cooling Fan	2 x 8 cm fans			
System Support	Server & RAID			
LED Indicator	Power On, HDD Access	Optional Power Supply	ATX 300W, 400W, Mini Redundant	
Switch	Power On/Off, Reset	Dimensions (W x H x D)	422mm x 178mm x 531mm	


nt 4U Chassis

RPC-500N



Specifications		RPC-500N		
Structure		Heavy Duty Steel	Colour	Black and Beige
Drive Bays	5.25-inch	3 (Open)		
	3.5-inch	1 (Open), 1 (Closed)	Speaker	1 x 8Ω speaker
Configuration of M/B	ISA/PCI, Backplane or ATX M/B's		Expansion Slot	4070 - 14 / 4080 - 7
Cooling Fan	1 x 12 cm and 8cm ball bearing fans with dust filter		Connector	AT Keyboard on front panel
System Support	Server & RAID	Optional Power Supply	ATX 300W, 400W, Mini Redundant	
LED Indicator	Disk LED, Power status	Dimensions (W x H x D)	430mm x 450mm x 177mm	
Switch	Power On/Off, Reset	Packed Dimensions	540mm x 600mm x 280mm packed	

Custom Assembly



Assembled and Tested Rackmount and Industrial Computers

- Supply us with your specifications and we will build a Rackmount computer to suit your needs.

2U Chassis

IPC-2015



IPC-2025L



Specifications		IPC-2015	IPC-2015L	IPC-2025L
Structure		Aluminum or Steel	Colour	Black and Beige
Drive Bays	5.25-inch	1 (Open)		2 (Open)
	3.5-inch	5 (Open)		2 (Open), 3 (Hidden)
Configuration of M/B		ATX, Baby-AT	Expansion Slot	7
Cooling Fan	2 X 8 cm			2
PCI Riser Card	2 Separate Type			3 in 1 Type
LED Indicator	Power On, HDD Access	Optional Power Supply	ATX 300W-2U	ATX 300W-PS2
Switch	Power On/Off, Reset	Dimensions (W x H x D)	422mm x 89mm x 531/606mm	

19" Cabinets



Specifications
Heights ranging from 10U to 47U
Depths are available in 600,800,1000mm
A full range of cabinet accessories and wallboxes are also available

Accessories

RAC-116/IU 19" Rackmount Keyboard & Touchpad Drawer



Specifications	RAC116-IU - 19" Rackmount Keyboard & Touchpad Drawer		
Structure	Heavy Duty Steel	Colour	Beige / Black
Rack and Keyboard Features	<ul style="list-style-type: none"> • Compact design with 1U height only • Front & rear bracket • 104, 105, 106 or 109 key, keyboard & touchpad • Multi language keyboards available • Interface: IBM AT, PS/2, DOSV & USB • USB plug & play • Built-in touchpad • Tracking speed up to 40" per second • Wrist-rest for comfort • Keypad buttons used like mouse buttons • Switch life: 10 million life cycles 		
Dimensions (W x H x D)	400(L)x238(W)x34(H)mm	Weight	7 Kg with keyboard
Electronic Data	+5DVC iO 5 @300mA		


RAC-117 15" LCD Keyboard Drawer



Specifications	RAC-117 - 15" LCD Keyboard Drawer /SMA-167/SMA-167K8/SMA167K16		
Structure	Heavy Duty Steel	Colour	Beige / Black
Rack, Keyboard & Screen Features	<ul style="list-style-type: none"> • Resolution: 1024x768 • Built -in audio speaker • 105 keys keyboard, PS/2 with touchpad • Multi language keyboards available • LCD - Fijitsu Brand 15" LCD TFT panel • LVDS & OSD • KVM Switch - 8-port / 16-port • MTBF - 40,000 hrs • VGA connect - HD-DB 15, Male / Female • Capacity - up to 999 computers • Cable length - PC/35M / Console/30M 		
Dimensions (D x W x H)	SMA-167: 430 x430 x44 mm	SMA-167K16: 600 x430 x44 mm	
	SMA-167K8: 600 x430 x44 mm		

Accessories

RAC-815-8U 19" Rackmount CRT Monitor Enclosure



Specifications		RAC1815-8U - 19" Rackmount CRT Monitor Enclosure	
Structure	Heavy Duty Steel	Colour	Beige / Black
CRT Enclosure Features	<ul style="list-style-type: none"> • Meets EIA RS-310C industrial standards • 8U Height fits 14" & 15" CRT monitor • Tiny front door on enclosure for adjusting the CRT • DIY packing 		
Dimensions (W x D x H)	481 x 327 x 355 mm	Weight	Net 10.5kg (26.7 Lbs)
Packing Dimensions	530x570x185mm	ShippingWeight	12.5kg (31.8Lbs)

19" Rackmount KVM Switches



Specifications
Available in 2,4,8,16 port
Rackmount brackets available for 4 port and up
Moulded cable lengths 1.8m,3m,6m,10m and 20m

Accessories



RPC-500N Additional Cooling fans

Specifications	
Structure	Heavy Duty Steel
Additional Cooling Fans	1 or 2 80 x 80mm Extraction fans for cooling
Dimensions (W x H x D)	430mm x 450mm x 177mm
Colour	Black and Beige



RPC-500N Additional HDD Bays

Specifications	
Structure	Heavy Duty Steel
Additional HDD Bays	Bracket to hold five 3.5" HDD
Dimensions (W x H x D)	430mm x 450mm x 177mm
Colour	Black and Beige



INNOVATIVE PRODUCTS AND SOLUTIONS




- **Biometrics**
- **Commsroute**
- **Embedded Computing**
- **Industrial Computing**
- **IP Rated Enclosures**
- **Rackmount Cabinets**
- **Ruggedised Notebooks**
- **Rackmount Chassis**

and Solutions

19 Voortrekker Avenue,
Edenvale
PO Box 196, Randburg, 2125

Tel: +27 11 454 4466
Fax: +27 11 454 4498

Email: Andrew@irsolutions.co.za



Industrial Rackmount Solutions